


FOOD PROCESSING + BERNER AIR CURTAINS




**FOOD PROCESSING
FACILITIES
USE BERNER TO:**

- ✓ REDUCE Energy Costs
- ✓ PROTECT Temperatures
- ✓ KEEP Flying Insects Out
- ✓ CONTAIN Smells

800-245-4455
www.Berner.com

BERNERTM
AIR CURTAINS

WHERE FOOD PROCESSING FACILITIES use BERNER AIR CURTAINS:



1 SHIPPING & RECEIVING:

Air curtains are part of the operating plan to keep energy usage low, temperatures stable and flying insects out when the doors are open.

5 MAIN ENTRANCES:

Both ambient and heated Berner air curtains are used on main entrances, along with or instead of a vestibule, to protect the office from outside temperatures and traffic fumes.

INTERNAL DOORS:

Ambient to Cooler, Cooler to Freezer, always mount air curtains on the cooler-side

6 EMPLOYEE / SERVICE DOORS:

Used to protect the building from outside temperatures, secondhand smoke, truck exhaust and flying insects.

2 RAPID ROLL-UP:

Berner air curtains work with rapid roll-up doors to protect temperatures and slow down moisture transfer as doors open & close.

3 MAN DOORS:

Allow people to pass through while covering the opening.

4 CONVEYOR DOORS:

Keep a continuous stream of air covering the conveyor window as product passes through.

Air Curtains & Vestibules!

The 2015 IECC (International Energy Conservation Code) joins the 2012 IgCC (International Green Construction Code) in adding AMCA certified

air curtains as an exception to a vestibule.

INDUSTRIAL
Direct Drive 12



Model# IDC12
Protection up to 12'

- 1/2 hp single speed motor(s) - direct drive (Optional: three speed)
- Gray powder coated exterior with mill aluminum screen and access panels
- Durable, all welded construction

INDUSTRIAL
Direct Drive 14



Model# IDC12
Protection up to 12'

- 1 hp single speed motor(s) - direct drive (Optional: two speed)
- Gray powder coated exterior with mill aluminum screen and access panels
- Durable, all welded construction

COMMERCIAL
High Performance 10




Model# CHC10
Protection up to 10'
Simple design, three speeds, high performance, white powder coated exterior.

COMMERCIAL
Low Profile 8



Model# CLC08
Protection up to 8'
Two speeds, low profile, white powder coated cabinet.

HOW A BERNER AIR CURTAIN WORKS



SANITATION CERTIFIED
High Performance 7



Model# SHC07
Protection up to 7'
Single speed, high-performance, white powder coated exterior.
• EPH Listed per NSF 37
• Suitable for Outdoor Mounting

SANITATION CERTIFIED
Low Profile 7



Model# SLC07
Protection up to 7'
Single speed, low profile, white powder coated cabinet.
• EPH Listed per NSF 37
• Suitable for Outdoor Mounting

ARCHITECTURAL
High Performance 10



Model# AHC10
Protection up to 10'
Sleek design, high performance, with clear satin anodized aluminum exterior.

ARCHITECTURAL
Low Profile 8



Model# ALC08
Protection up to 8'
Low profile, clear satin anodized aluminum cabinet with a built-in Intelliswitch digital controller.

When it's cold outside, add some extra heat to the door.

Berner Air Curtains are available with electric, steam, or hot water heat.

www.Berner.com

BERNER AIR CURTAINS:

Engineered to perform, built to last.

Simple to install, operate, and maintain.

Made in U.S.A.

Ships fully assembled.

Berner is a UL Listed panel shop, authorized to build UL listed Motor Control Panels



www.berner.com
111 Progress Avenue
New Castle, PA 16101
800-245-4455 724-658-3551

Saving Energy and Creating Healthy, Comfortable Environments



FOOD January, 2017
©Copyright, 2017 Berner International